

PORCELAIN WOOD

Unrivaled strength. Timeless beauty.



Avon

Embracing the desirable and timeless aesthetics of English woods, Avon offers a range of authentic designs for a classic, awe-inspiring floor covering

Product displayed is Avon Charcoal

PORCELAIN WOOD

Unrivaled strength. Timeless beauty.

The Avon Range



Avon Coast



Avon Aged



Avon Night



Avon Charcoal

Dimensions: 14.4 x 89.3cm (5.7 x 35.2 inches)



10mm thickness



Avon Coast



Avon Aged



Avon Night



Avon Charcoal

Dimensions: 21.8 x 89.3cm (8.6 x 35.2 inches)



10mm thickness

PORCELAIN WOOD

Unrivaled strength. Timeless beauty.

Technical characteristics		Reference standard
Manufacture process	Single-firing	Dry pressed ceramic tile
Thickness (mm)	10	UNE EN ISO 10545 Part 2
Length, width, thickness, side straightness, orthogonality, flatness	Conforms to the requisites applicable to each model as defined in standard UNE-EN 14411 for Group B la	UNE EN ISO 10545 Part 2
Water absorption	E< 0.5 %	UNE EN ISO 10545 Part 3
Flexion resistance N/sq. mm. and breaking strength	> 35 > 1300	UNE EN ISO 10545 Part 4
Resistance to surface abrasion (Glazed tiles)	2	UNE EN ISO 10545 Part 7
Lineal thermic dilatation	< 9*10 ⁻⁶ /° C	UNE EN ISO 10545 Part 8
Thermic impact resistance	It stands the test	UNE EN ISO 10545 Part 9
Cracking resistance	It stands the test	UNE EN ISO 10545 Part 11
Frost resistance	It stands the test	UNE EN ISO 10545 Part 12
Slip resistance	R10	UNE ENV 12633:2003
Chemical resistance		
Domestic cleaning products	Type GA	UNE EN ISO 10545 Part 13
Swimming pool salt	Type GA	
Acids and bases (low concentration)	Minimum Type GLB	UNE EN ISO 10545 Part 14
Stains resistance	Minimum Type 4	

anti-slip  R10

Dedicated Slip Resistance

The Avon range is specifically designed to provide better safety in areas of pedestrian traffic, where the humidity conditions and slopes are greater than normal. Avon rates higher than the test results recommended by Regulation UNE-ENV 12633:2003.

cut and bevelled skirting tile
9.4 x 44.3 cm / 3.7 x 17.4 inches
Avon-R
G.914

