

PORCELAIN WOOD

Unrivaled strength. Timeless beauty.



Sterling

A collection that intricately reflects the industrial aesthetic of engineered particle board, for use on floors and walls, interiors and exteriors.

Product displayed is Sterling-Natural


PORCELAIN WOOD

Unrivaled strength. Timeless beauty.

The Sterling Range




Sterling-Natural



Sterling-Vector

This model has different designs that are combined alternately, coming in the same box.



Dimensions: 59.3 x 59.3cm (23.6 x 23.6 inches)




10mm thickness


Cut and bevelled skirting tile
9.4 x 59.3 cm / 3.7 x 23.3 inches
Sterling



Staircase step
59.3 x 59.3 cm / 23.3 x 23.3 inches
Sterling




Gradone
59.3 x 59.3 cm / 23.3 x 23.3 inches
Sterling



The staircase step and gradone can be sold with or without the ribbed notch. Angle is also available




Sterling Graphic - White



Sterling Graphic - Red



Sterling Graphic - Green



Sterling Graphic - Yellow



Sterling Graphic - Black

Dimensions: 59.3 x 59.3cm (23.6 x 23.6 inches)



10mm thickness

Cut and bevelled skirting tile
9.4 x 59.3 cm / 3.7 x 23.3 inches
Sterling



PORCELAIN WOOD

Unrivaled strength. Timeless beauty.




Sterling Hazard - White




Sterling Hazard - Cement




Sterling Hazard - Green




Sterling Hazard - Grey



Sterling Hazard - Blue




Sterling Hazard - Yellow



Sterling Hazard - Honey



Sterling Hazard - Red



Sterling Hazard - Black

Dimensions: 59.3 x 59.3cm (23.6 x 23.6 inches)



10mm thickness

Cut and bevelled skirting tile
9.4 x 59.3 cm / 3.7 x 23.3 inches
Sterling



PORCELAIN WOOD


Unrivalled strength. Timeless beauty.



Sterling - Natural



Sterling - Honey



Sterling - White





Sterling - Cement



Sterling - Grey




Sterling - Blue

Dimensions: 59.3 x 119.3cm (23.6 x 47.2 inches)   11mm thickness


Cut and bevelled skirting tile
9.4 x 59.3 cm / 3.7 x 23.3 inches
Sterling



Staircase step
59.3 x 119.3 cm / 23.3 x 47 inches
Sterling



Gradone
59.3 x 119.3 cm / 23.3 x 47 inches
Sterling



The staircase step and gradone can be sold with or without the ribbed notch. Angle is also available

PORCELAIN WOOD

Unrivaled strength. Timeless beauty.





Sterling Triangle Multicolor



Sterling Hazard Multicolor

This range has only one design in a number of colours, combined alternately in the same box.

Dimensions: 59.3 x 119.3cm (23.6 x 47.2 inches)   11mm thickness

Cut and bevelled skirting tile
9.4 x 59.3 cm / 3.7 x 23.3 inches
Sterling



Technical characteristics		Reference standard
Manufacture process	Single-firing	Dry pressed ceramic tile
Thickness (mm)	10mm (59.3 cm x 59.3cm) and 11mm (59.3 cm x 119.3cm)	UNE EN ISO 10545 Part 2
Length, width, thickness, side straightness, orthogonality, flatness	Conforms to the requisites applicable to each model as defined in standard UNE-EN 14411 for Group B Ia	UNE EN ISO 10545 Part 2
Water absorption	E< 0.5 %	UNE EN ISO 10545 Part 3
Flexion resistance N/sq. mm. and breaking strength	> 35 > 1300	UNE EN ISO 10545 Part 4
Resistance to surface abrasion (Glazed tiles)	4	UNE EN ISO 10545 Part 7
Lineal thermic dilatation	< 9*10 ⁻⁶ /° C	UNE EN ISO 10545 Part 8
Thermic impact resistance	It stands the test	UNE EN ISO 10545 Part 9
Cracking resistance	It stands the test	UNE EN ISO 10545 Part 11
Frost resistance	It stands the test	UNE EN ISO 10545 Part 12
Slip resistance	Class 1	UNE ENV 12633:2003
Inclined plane, wearing shoes	R10	DIN 51130
Inclined plane, barefoot	Class C	DIN 51097

Chemical resistance		
Domestic cleaning products	Type GA	UNE EN ISO 10545 Part 13
Swimming pool salt	Type GA	
Acids and bases (low concentration)	Minimum Type GLB	UNE EN ISO 10545 Part 14
Stains resistance	Minimum Type 4	

CE Marking	
	CE Declaration of performance N° 001VV2013